

## Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplier Name						
P0041325	MESD02-VC	1	1	Net 60	M304S18GA	304/316 .050 Sheet : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240				128	11/24/2018	128		S132620	Stock	11/28/2018	\$ 7.15 / sf	1		\$915.20	Metaux Solutions						
		2			MT-4140-B-1.250X1.500	AISI 4140 Steel Bar : Material: AISI 4140 STEEL BAR AS PER ASTM A29, AMS 6349, AMS 6382, AMS 6529, MIL-S-5626 MIN. ROCKWELL C = 28 RC MAX. ROCKWELL C ≈ 32 RC				12		12		S133351	Stock	11/29/2018	\$ 18.32 / ft	0		\$225.80	Metaux Solutions						
Total:														140												\$858.04	

Plex 11/29/2018 2:02 PM dart.Tollis.Andrew



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER PO041325

**Supplier:** MES002-VC  
Metaux Solutions  
2625 boul Jacques-Cartier Est  
Longueuil  
QC  
J4N 1L7 Canada  
Phone: 800 558 8858  
Fax: 514 633 8044

**PO No:** PO041325

**PO Date:** 10/11/18

**Due Date:** 10/18/18

**Purchase Order**

**Revision:**

**Revision Date:**

**Ship-To Contact:** Lavoie, Chantal  
clavoie@dartaero.com

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**Via:** Ground

**Pymt Terms:** Net 60

**Freight Terms:**

**Special Comments:** BID 29394

**E-MAILED**  
OCT 11 2018

## Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1		M304S18GA	SS182B4	304/316 .050 Sheet : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240	Firmed	-	10/18/18	128 sf	0 sf	128 sf	\$7.15/sf	\$915.20
2		MT-4140-B-1.250X1.500		AISI 4140 Steel Bar : Material: AISI 4140 STEEL BAR AS PER ASTM A29, AMS 6349, AMS 6382, AMS 6529, MIL-S-5626 MIN. ROCKWELL C = 28 RC MAX. ROCKWELL C = 32 RC	Firmed	-	10/18/18	12 ft	0 ft	12 ft	\$18.816666/ft	\$225.80

**Grand Total: \$1,141.00**



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

**PURCHASE ORDER**  
**PO041325**

**Order Notes**

**Procurement Quality Clauses**

A005 right of entry  
A012 chemical and physical test report  
A016 personnel qualification  
A017 raw material identification (as applicable)  
A026 certification of material conformance  
A041 quality management system  
A042 dart notification by supplier  
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

*Plex 10/11/18 1:08 PM dart.lavoie.chantal*

METAUX SOLUTIONS INC  
2625 BOUL JACQUES CARTIER EST  
LONGUEUIL, QUEBEC  
J4N 1L7 **Tel. : 450 641-3330**

Bid

04/10/2018

29394

**Sales Rep.** : JEROME PRIMEAU  
**Expiration Date** : 02/01/2019

**Customer :** 6323336

DART AEROSPACE LTD  
1270, ABERDEEN STREET  
HAWKESBURY, ONTARIO  
K6A 1K7

**Ship To :**

Same

**Tel.:** 1 613 632-3336

Item No.	Description	Qty	Price	Total	Tx
	***** FACTURER E-MAIL ***** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N				
AR312	<del>ALU ROU 3.500 DIA 6061-T6</del> <del>1 X 72"</del> HT;	6	59.90	359.40	A
AR214	<del>ALU ROU 2.250 DIA 6061-T6</del> <del>1 X 12'</del> HT;	12	32.00	384.00	A
SR7164	<del>304 ROU .437 DIA (7/16)</del> <del>3 X 12' R/L</del> HT;	36	3.75	135.00	A
SS182B4	<del>304 SHEET .048 (18G)</del> <del>4 X 4' X 8'</del> HT;	128	7.15	915.20	A
SF5834	<del>304 STAINL FLA .625" X 3.00"</del> <del>1 X 12' R/L</del> HT;	12	42.25	507.00	A
AF112	<del>ALU FLA 1.000 X 12.00 6061-T6</del> <del>2 X 12'</del> HT;	24	69.40	1 665.60	A
AF18	<del>ALU FLAT 1.00" X 8.00" 6061-T6</del> <del>1 X 12'</del> HT;	12	41.60	499.20	A
ASQ114	<del>ALU SQU 1.250 6061-T6</del> <del>1 X 12'</del> HT;	12	8.75	105.00	A

\*\*\* Continued on Next Page \*\*\*

METAUX SOLUTIONS INC  
2625 BOUL JACQUES CARTIER EST  
LONGUEUIL, QUEBEC  
J4N 1L7 **Tel. : 450 641-3330**

**Bid**

04/10/2018

29394

**Sales Rep.** : JEROME PRIMEAU  
**Expiration Date** : 02/01/2019

**Customer :** 6323336

DART AEROSPACE LTD  
1270, ABERDEEN STREET  
HAWKESBURY, ONTARIO  
K6A 1K7

**Ship To :**

Same

**Tel.:** 1 613 632-3336

<i>Item No.</i>	<i>Description</i>	<i>Qty</i>	<i>Price</i>	<i>Total</i>	<i>Tx</i>
MP11411241H	4140 HTSR FLAT 1.250 X 1.500 TO FIN 1 X 144" R/L HT;	82	2.90	237.80	A
<del>SR343</del>	<del>303 ROU .750 DIA 3 X 12' R/L HT;</del>	<del>36</del>	<del>7.86</del>	<del>282.96</del>	<del>A</del>
AS06361	ALU SHE. 003-6061-T6 (14G) 3 X 4' X 12' HT;	144	6.80	979.20	A

<b>COPY</b>		<b>Subtotal</b>	6 070.36
A) Regist :		HST :	789.15
		<b>Total :</b>	6 859.51

METAUX SOLUTIONS INC  
2625 BOUL JACQUES CARTIER EST  
LONGUEUIL, QUEBEC  
J4N 1L7  
Tel.: 450 641-3330

# Shipping Order

23/11/2018

Order : 139853  
Reference : 41325  
Ship : PICK UP / PICK UP

Customer: 6323336

DART AEROSPACE LTD  
1270, ABERDEEN STREET  
HAWKESBURY, ONTARIO  
K6A 1K7

## Ship To



Same



Tel.: 1 613 632-3336

Item No.	Description	Qty	Qty. Delivered	B/O Qty
	***** FACTURER E-MAIL ***** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N			
SS182B4	304 SHEET .048 (18G) 4 x 4' x 8' **** HT,520865	128	128	0
PALETTE4896MOD	PALETTE DE BOIS 48" X 96" 2 ENTRÉES	1	1	0
MP11411241H	4140 HTSR FLAT 1.250 X 1.500 TO FIN 1 X 12' R/L HT,81001	82	82	0

SHIP JOURNEY COLLECT  
JP

Shipping : \_\_\_\_\_  
Package No : \_\_\_\_\_  
Merchandise Received: \_\_\_\_\_  
Ref. : \_\_\_\_\_

Manufacturer / Fabricante / Herstellerwerk 		Type of document / Tipo de documento / Art der Prüfbescheinigung <b>INSPECTION CERTIFICATE</b> CERTIFICADO DE INSPECCION ABNAHMEPRÜFZEUGNIS according to / de acuerdo con / nach EN 10204-3.1		Document number / N° de certificado / Bescheinigungs-Nr. <b>0000349271 /</b> Page / Pagina / Seite: <b>1 / 2</b>	
1 Steel Drive; P.O. Box 13000; Calvert, AL 36513-1300				Customer's order number / N° de Pedido Cliente / Kundenbesteller. C18436 Manufacturer's works order no. / N° de Pedido Manufactura / Werksauftragsnr. 901238437 / 002 Delivery note no. / N° de Entrega / Lieferanzeige Nr. 85546478 / 010 Product / Producto / Erzeugnis COIL/BOBINA/BAND	
Terms of delivery / Condiciones de entrega / Lieferbedingungen ASTM A240/A240M-17, ASME SA-240 Sec. II part A Ed.2017 ASTM A480/A480M-17, ASME SA-480 Sec. II part A Ed.2017 SAE AMS 5513 J ASTM A666-15 ASTM A276-17, A312-17, A479-17, A484-16 Chemical only ASME SA312-15, SA479-15 Chemical only NACE MR0103 / ISO 17945: 2015 NACE MR0175 / ISO 15156: 2015				Steel grade and quality / Acero / Stahlsorte und Gütegruppe TYPE 304/304 UNS S30403 UNS S30400	
Customer's material no. / N° de material del cliente / Kundenmaterial-Nr. 3106607		Product dimensions (Thickness / Width / Length) / Dimensiones (Espesor / Ancho / Largo) / Maße des Erzeugnisses (Dicke / Breite / Länge) 1.22 mm x 1,219.20 mm 0.0480 inch x 48.0000 inch		Steelmaking procedure / Proceso de manufact. / Herstellart AOD Finish / Acabado / Ausführung IIc / 2B	
Packing No. / N° de empaque / Paket-Nr.	No. of pieces / Piezas / Stückzahl	Actual weight / Peso actual / Ist-Gewicht	Actual length / Longitud actual / Ist-Länge	Coil No. / Bobina No. / Band-Nr.	Heat No. / Colada / Schmelze
3106607	1	12,368 lb / 5,610 kg	1,516 ft / 462 m	824430	520865
Sum / Suma / Summe		1	12,368 lb / 5,610 kg	P385115	
Heat / Colada / Schmelze		Chemical composition / Composicion Quimica / Chemische Zusammensetzung Chemical analysis per ASTM A751-14a			
Country of Melt / Pais de colada / Erbschmelzungsland		USA			
Sample Position / Localiz. de la muestra / Probenlage		TRANSVERSE Mechanical testing per ASTM A370-17			
Inspection lot / Lote de inspección / Prüflot	Y80.2% PSI / MPa	TS PSI / MPa	El. A2" %	HRB	
1000553704	41,334 / 285	92,385 / 637	55.5	82	
1000553705	38,288 / 284	90,645 / 625	57.4	81	
Resistant to intergranular corrosion / Resistente contra corrosión intergranular / Beständig geg. interkrist. Korrosion: ASTM A 262-15, PRACTICE E - Sample Acceptable Dimensions-surface / Dimensiones-Superficie / Maße-Oberfläche: OK Test of identity (spectrum analysis) / Control de identidad (análisis espectrográfico) / Verwechslungsprüfung (Spektralanalyse): OK					
Heat Treat: Solution anneal 1900°F/1040°C Min, Air and water quench Bending test O.K. No welding or weld repairs were performed on this material DFARS 225.872-1 Compliant No intentional additions of Mercury compounds were made or used Free of radioactive contamination					
Originator of the document / Originador del documento / Aussteller der Bescheinigung <b>Outokumpu Stainless USA, LLC</b> An ISO 9001:2015 certified company An ISO 17025: 2005 accredited lab EU PED 2014/68/EU, Annex I, 4.3 certified Certificate is generated automatically / Certificado es generado automáticamente / Das Zeugnis wurde elektronisch erstellt		The information provided is a true copy of data on file / Los valores mostrados corresponden a los datos archivados / Die genannten Werte entsprechen den gespeicherten Daten  Andrew Faucett Phone: +1 251 829 3492 Name of expert / Nombre del experto / Name des Sachverständigen		Date of issue and validation / Fecha de emisión y validación / Datum Ausstellung / Bestätigung 06/01/2018 This document shall not be altered or reproduced, except in full. Falsified, fictitious, or false statements or entries may be prosecuted by law.	

<p>Manufacturer / Fabricante / Herstellerwerk</p> <p><b>outokumpu</b> </p>	<p>Type of document / Tipo de documento / Art der Prüfbescheinigung</p> <p><b>INSPECTION CERTIFICATE</b>          CERTIFICADO DE INSPECCION          ABNAHMEPRÜFZEUGNIS          according to / de acuerdo con / nach          EN 10204-3.1</p>	<p>Document number / Nº de certificado / Bescheinigungs-nr.  <b>0000349271 /</b></p> <p>Page / Página / Seite:  <b>2 / 2</b></p>
<p>EU RoHS Directive 2011/65/EU Compliant          Country of Heat as per ISO 3166-1</p>		
<p>Originator of the document / Originador del documento / Aussteller der Bescheinigung</p> <p><b>Outokumpu Stainless USA, LLC</b>          An ISO 9001:2015 certified company          An ISO 17026: 2006 accredited lab          EU PED 2014/68/EU, Annex I, 4.3 certified</p> <p>Certificate is generated automatically /          Certificado es generado automáticamente /          Das Zeugnis wurde elektronisch erstellt</p>	<p>The information provided is a true copy of data on file /          Los valores mostrados corresponden a los datos archivados /          Die generierten Werte entsprechen den gespeicherten Daten</p> <p>          Andrew Faucett          Phone: +1 251 829 3492</p> <p>Name of expert / Nombre del experto / Name des Sachverständigen</p>	<p>Date of issue and validation          Fecha de emisión y validación          Datum/Ausstellung / Bestätigung  <b>06/01/2018</b></p> <p>This document shall not be altered          or reproduced, except in full,          fraudulent, fictitious, or          false statements or entries          may be prosecuted by law.</p>

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 304/316 SS SHEET  
ANNEALED

SPECIFICATION:

MIL-S-5059  
OR AMS 5513 (304)  
OR AMS 5524 (316)  
OR ASTM A240  
OR ASME SA240

FINISH:

DART M-NUMBER  
IDENTIFIER

FINISH  
UNPOLISHED No. 1  
UNPOLISHED No. 2D  
UNPOLISHED No. 2B  
POLISHED No. 3  
POLISHED No. 4  
BUFFED No. 6  
BUFFED No. 7  
BUFFED No. 8

PART NUMBER:

M304S TT GA #P  
GA

WHERE "TT" = GAUGE THICKNESS  
WHERE "#P" = FINISH IDENTIFIER

EG. 16 GAUGE SS SHEET 2B FINISH = M304S16GA  
EG. 16 GAUGE SS SHEET No. 4 POLISHED = M304S16GA4P

GAUGE THICKNESS REFERENCE:

GAUGE	NOM. THICK. (IN)	THICKNESS RANGE (IN)
26	0.01875	0.0178 - 0.019
25	0.021875	0.0199 - 0.023
24	0.025	0.024 - 0.026
23	0.028125	0.027 - 0.029
22	0.03125	0.030 - 0.032
21	0.034375	0.033 - 0.035
20	0.0375	0.036 - 0.040
19	0.04375	0.041 - 0.046
18	0.050	0.047 - 0.052
17	0.05625	0.053 - 0.058
16	0.0625	0.059 - 0.065
15	0.0703125	0.066 - 0.072
14	0.078125	0.073 - 0.083
13	0.09375	0.084 - 0.098
12	0.109375	0.099 - 0.114
11	0.125	0.115 - 0.130
10	0.140625	0.131 - 0.145
9	0.15625	0.146 - 0.160
8	0.171875	0.161 - 0.176
7	0.1875	0.182 - 0.194
6	0.2031	0.194 - 0.212
5	0.2188	0.201 - 0.228
4	0.2344	0.225 - 0.243
3	0.2500	0.238 - 0.262
2	0.2656	0.254 - 0.278
1	0.2813	0.269 - 0.293
0	0.3125	0.301 - 0.325

RELEASED

2015 FEB 04

ECN 15-122

D	ADDED GAUGES 0-7	AJS	15 01 06
C	DEFINED FINISH OPTION (ZN CB) AND EXAMPLE OF MATERIAL FIN WITH FINISH OTHER THAN 2B (ZN B5)	MB	12 09 20
B	REFORMAT DMC. ADD ASTM/ASME SPECS (ZN D8-1). ADD GAUGE REF (CB-1). REF PAR 08-020A	CP	09 06 01
A	NEW ISSUE	DS	01 09 24
REV	DESCRIPTION	BY	DATE
DESIGN	DS		
DRAWN	AJS		
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	15.01.06		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M304S			
TITLE 304/316 SS SHEET			
REV. D SHEET 1 OF 1			
SCALE NTS			
DATE 15.01.06			
COPYRIGHT © 2001 BY DART AEROSPACE LTD. All Rights Reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Dart Aerospace Ltd.			

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304S 18GA  
 DATE: 18/11/29

PO / BATCH NO.: P0041325/S132620

MATERIAL CERT REC'D: Yes  
 QUANTITY RECEIVED: 124  
 QUANTITY INSPECTED: 125+  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.048"  
 THICKNESS RECEIVED: 0.048"  
 SHEET SIZE ORDERED: 4'x8'  
 SHEET SIZE RECEIVED: 4'x8'

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL PER M-DRAWING	(Y) N	ASTM A240
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT REF # TO LINK CERT	(Y) N	HT: 520865
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 61</u> DATE: <u>18/11/28</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

CERTIFICAT D'ANALYSE

DART AEROSPACE LTD  
1270, ABERDEEN STREET  
HAWKESBURY, ONTARIO  
K6A 1K7

23 nov. 2018

~~Part Number - origin~~ ~~Shipped by~~

MSP12500-15000

631 Pounds

Bar 1-1/4 x 1-1/2 x Any

1.51500 x 144.00000

4140/42 Prehard

ASTM A-829

*-> does not match*

~~DEARS Compliant~~

Country of Origin: SLOVENIA

Lot: 417631C

PM Heat: 81001

BHN: 306

C: 0.4050

Mn: 0.7720

P: 0.0100

S: 0.0010

Si: 0.2200

Cr: 1.0200

Mo: 0.1800

Cu: 0.1610

V: 0.0340

Ni: 0.1400

ITEM 2: 1 X 12' R/L

COMMANDE : 139853

REF : 41325

Métaux Solutions inc. certifie que les analyses sur ce document sont exactes et que le matériel rencontre les spécifications énumérées.

Préparé par



8 7 6 5 4 3 2 1

## SPECIFICATION CONTROL DRAWING

**PURCHASE MATERIAL :**

AISI 4140 / 4142 STEEL BAR  
MINIMUM ROCKWELL C = 28 Rc  
MAXIMUM ROCKWELL C = 32 Rc

**SPECIFICATION:**

ASTM A29, AMS 6349, AMS 6382, AMS 6529, MIL-S-5626, MIL-S-24093

**PART NUMBER:**

MT-4140-B-(T.TTT) x (W.WWW)  
WHERE "T.TTT" = THICKNESS IN INCHES  
WHERE "W.WWW" = WIDTH IN INCHES  
EX. 4.0" x 6.0" BAR = MT-4140-B-4.000x6.000

REV.	DESCRIPTION	ECN #	DATE	BY	APPROVED
A	NEW ISSUE	17-760	17.12.13	VM	ML
B	MIN & MAX Rc CHANGED	18-523	18.01.24	VM	ML
C	ADD AISI 4142	18-544	18.02.14	ML	ML

<b>DART</b> AEROSPACE		HEADQUARTERS: OREM, UTAH	
TITLE <b>AISI 4140 / 4142 STEEL BAR</b>			
PART NO. <b>MT-4140-B</b>		REV. <b>C</b>	
TOOL NO.			
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES DIMENSIONS ARE TO BE MAINTAINED DIMENSIONS ARE TO BE MAINTAINED			
DATE 17.12.2017	INITIALS AND DATE VM 17.12.2017	FRACTIONS ± 1/8	
DESIGNED BY VM 17.12.2017	DATE 17.12.2017	ANGLES ± 0.5°	
CHECKED BY VM 02/14/2018	DATE 02/14/2018	SURFACE X ± 1	
APPROVED BY ML 02/14/2018	DATE 02/14/2018	ROUGHNESS	
COPYRIGHT © 2017 BY DART AEROSPACE LTD			
THIS DRAWING IS THE PROPERTY OF DART AEROSPACE LTD. IT IS TO BE USED ONLY FOR THE PURPOSES FOR WHICH IT WAS ISSUED. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION FROM DART AEROSPACE LTD.			

*ML*

8 7 6 5 4 3 2 1

## MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MT-4140-B-1.250x1.500

PO / BATCH NO.: P0041325/S133351

DATE: 18/11/29

MATERIAL CERT REC'D: Yes

THICKNESS ORDERED: 1.250"

QUANTITY RECEIVED: 125+

THICKNESS RECEIVED: 1.250"

QUANTITY INSPECTED: 125+

SHEET SIZE ORDERED: —

QUANTITY REJECTED: 125+

SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y	N	
CORROSION	Y	<input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y	N	
CORRECT MATERIAL PER M-DRAWING	Y	<input checked="" type="checkbox"/> N	<i>Does not match our spec</i>
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y	N	<i>MT 81001</i>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 61</u> DATE: <u>18/11/29</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in